

## - LOCAL PUBLIC HEALTH

LOCAL PUBLIC HEALTH FUNDING  
(funding data not available)

## NATALITY

TOTAL LIVE BIRTHS			20	Birth Order		Births	Percent	Marital Status of Mother			Births	Percent		
Crude Live Birth Rate			3.2	First		7	35	Married			16	80		
General Fertility Rate			18.5	Second		9	45	Not married			4	20		
Live births with reported congenital anomalies			1	.	%	Third		4	20	Unknown			0	0
						Fourth or higher		0	0					
						Unknown		0	0					
Delivery Type			Births	Percent	First Prenatal Visit			Births	Percent	Education of Mother			Births	Percent
Vaginal after					1st trimester			18	90	Elementary or less			0	0
previous cesarean			1	5	2nd trimester			1	5	Some high school			0	0
Forceps			1	5	3rd trimester			0	0	High school			7	35
Other vaginal			14	70	No visits			1	5	Some college			10	50
Primary cesarean			3	15	Unknown			0	0	College graduate			3	15
Repeat cesarean			1	5						Unknown			0	0
Other or unknown			0	0										
Birth Weight			Births	Percent	Number of Prenatal Care visits			Births	Percent	Smoking Status of Mother			Births	Percent
<1,500 gm			0	0.0	No visits			1	5	Smoker			5	25
1,500-2,499 gm			1	5.0	1-4 visits			0	0	Nonsmoker			15	75
2,500+ gm			19	95.0	5-9 visits			1	5	Unknown			0	0
Unknown			0	0.0	10-12 visits			6	30					
					13+ visits			12	60					
					Unknown			0	0					

\* - Not reported. Age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	<5
Giardiasis	<5
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C***	0
Legionnaire's	0
Lyme	0
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	0
Salmonellosis	0
Shigellosis	0
Tuberculosis	0

\* 1999 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	<5
Genital Herpes	<5
Gonorrhea	<5
Nongonococcal Cervicitis	.
Nongonococcal Urethritis	0
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	1,014
Non-compliant	34
Percent Compliant	96.8

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	77
Crude Death Rate	1,213

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	.	.
15-19	1	.
20-34	.	.
35-54	5	.
55-64	6	.
65-74	21	3,079
75-84	19	.
85+	25	12,856

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	.	.
Neonatal	.	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	.	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	.	.
Neonatal	.	.
Fetal	.	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	33	520
Ischemic heart disease	.	.
Cancer (total)	15	.
Trachea/Bronchus/Lung	.	.
Colorectal	4	.
Female Breast	.	.*
Cerebrovascular Disease	5	.
Lower Resp. Disease	.	.
Pneumonia & Influenza	.	.
Injuries	5	.
Motor vehicle	3	.
Diabetes	.	.
Infectious & Parasitic	.	.
Suicide	.	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	2	.
Other Drugs	2	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	50	3
Alcohol-Related	10	3
With Citation:		
For OWI	6	0
For Speeding	2	0
Motorcyclist	2	0
Bicyclist	0	0
Pedestrian	2	0

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	32	5.0	3.5	\$7,403	\$37	Total	12	.	.	.	.
<18	2	.	.	.	.	18-44	4	.	.	.	.
18-44	6	.	.	.	.	45-64	5	.	.	.	.
45-64	9	.	.	.	.	<b>Pneumonia and Influenza</b>					
65+	15	.	.	.	.	Total	15	.	.	.	.
<b>Injury: Hip Fracture</b>						<18	2	.	.	.	.
Total	5	.	.	.	.	45-64	3	.	.	.	.
65+	5	.	.	.	.	65+	9	.	.	.	.
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	2	.	.	.	.	Total	15	.	.	.	.
18-44	1	.	.	.	.	45-64	2	.	.	.	.
						65+	13	.	.	.	.
<b>Psychiatric</b>						<b>Chronic Obstructive Pulmonary Disease</b>					
Total	31	4.9	10.0	\$7,345	\$36	Total	10	.	.	.	.
<18	9	.	.	.	.	<18	0	.	.	.	.
18-44	13	.	.	.	.	18-44	1	.	.	.	.
45-64	5	.	.	.	.	45-64	1	.	.	.	.
65+	4	.	.	.	.	65+	8	.	.	.	.
<b>Coronary Heart Disease</b>						<b>Drug-Related</b>					
Total	31	4.9	2.9	\$11,867	\$58	Total	0	.	.	.	.
45-64	6	.	.	.	.	18-44	0	.	.	.	.
65+	25	17.8	3.0	\$12,067	\$215						
<b>Malignant Neoplasms (Cancers): All</b>						<b>Total Hospitalizations</b>					
Total	16	.	.	.	.	Total	441	69.5	4.4	\$8,175	\$568
18-44	0	.	.	.	.	<18	42	33.9	4.1	\$6,034	\$205
45-64	5	.	.	.	.	18-44	85	41.8	2.9	\$4,368	\$183
65+	10	.	.	.	.	45-64	106	63.2	5.3	\$8,947	\$565
<b>Neoplasms: Female Breast (rates for female population)</b>						65+	208	148.4	4.7	\$9,769	\$1,450
Total	0	.	.	.	.						
<b>Neoplasms: Colo-rectal</b>						<b>----- PREVENTABLE HOSPITALIZATIONS* -----</b>					
Total	2	.	.	.	.	Total	78	12.3	4.6	\$6,475	\$80
65+	2	.	.	.	.	<18	7	5.7	2.1	\$2,754	\$16
<b>Neoplasms: Lung</b>						18-44	8	3.9	3.4	\$5,052	\$20
Total	0	.	.	.	.	45-64	18	10.7	5.7	\$8,440	\$91
						65+	45	32.1	4.8	\$6,521	\$209
<b>Diabetes</b>											
Total	9	.	.	.	.	* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					
65+	6	.	.	.	.						